

CABLE CLEATS



Tab 2

ALUMINIUM ALLOY CABLE CLEATS - SINGLE POWER CABLE

Cable Dia.	Ref. No
18-27	DSSB-CC-SAC1827
28-38	DSSB-CC-SAC28-38
39-53	DSSB-CC-SAC39-53
54-68	DSSB-CC-SAC54-68
66-82	DSSB-CC-SAC66-82
83-103	DSSB-CC-SAC83-103
100-114	DSSB-CC-SAC100-114
115-138	DSSB-CC-SAC115138



TWO HOLE PLASTIC CABLE CLEATS - SINGLE POWER CABLE (FOR INDOOR USE)

Cable Dia.	Ref. No
18-27	DSSB-CC-SNC18-27
28-42	DSSB-CC-SNC28-42
43-56	DSSB-CC-SNC43-56
54-76	DSSB-CC-SNC54-76
74-88	DSSB-CC-SNC74-88
87-102	DSSB-CC-SNC87-102
103-116	DSSB-CC-SNC103-116
117-138	DSSB-CC-SNC117138



TWO HOLE PLASTIC CABLE CLEATS (UV RESISTANT) - SINGLE POWER CABLE (FOR OUTDOOR USE)

Cable Dia.	Ref. No
18-27	DSSB-CC-SNC18-27-UV
28-42	DSSB-CC-SNC28-42-UV
43-56	DSSB-CC-SNC43-56-UV
54-76	DSSB-CC-SNC54-76-UV
74-88	DSSB-CC-SNC74-88-UV
87-102	DSSB-CC-SNC87-102-UV
103-116	DSSB-CC-SNC103-116-UV
117-138	DSSB-CC-SNC117138-UV



TREFOIL TWO HOLE CABLE CLEATS FOR THREE CABLE (ALUMINIUM)

Cable Dia.	Ref. No
29-32	DSSB-CC-TAC 32
33-36	DSSB-CC-TAC36
37-40	DSSB-CC-TAC 40
41-44	DSSB-CC-TAC44
45-47	DSSB-CC-TAC 47
48-50	DSSB-CC-TAC50
51-53	DSSB-CC-TAC53
54-55	DSSB-CC-TAC55
56-60	DSSB-CC-TAC60
61-63	DSSB-CC-TAC 63
64-66	DSSB-CC-TAC 66
67-70	DSSB-CC-TAC70
71-73	DSSB-CC-TAC73
74-77	DSSB-CC-TAC 77
78-81	DSSB-CC-TAC 81
82-85	DSSB-CC-TAC85
86-90	DSSB-CC-TAC 90
91-93	DSSB-CC-TAC93
94-93	DSSB-CC-TAC 96
97-99	DSSB-CC-TAC 99
100-102	DSSB-CC-TAC 102
103-105	DSSB-CC-TAC 105
106-109	DSSB-CC-TAC 109
110-112	DSSB-CC-TAC 112



Cable Cleats

Other size please send / call for enquiry


 SIRIM QAS International Berhad (1199978-A) (Company No. 102074-01)
 No. 5, Jalan Persekutuan, Seksyen 7, Bukit Mertajam, Pulau Pinang 14000
 Tel: 04-626 4000 (ext. 2222) Fax: 04-626 4000
 E-mail: info@sirim.com.my

TEST REPORT

REPORT NO.: 2011042279 PAGE: 1 OF 2

This Test Report shall only be valid when used in conjunction with the original test specimen and shall not be valid for any other use. It is the responsibility of the client to ensure that the test specimen is correctly identified and that the test results are used for the correct purpose.

Applicant: DELTA SAMA JAYA SDN BHD
No. 275 & 276, Jalan Beringin, Jalan Persekutuan, P. Ramlee, Kuala Lumpur, 50460 Kuala Lumpur

Manufacturer: - Nil -

Product: Cable Cleat

Reference Standard: BS EN 50368: 2003 - Specification for Cable Cleats for Electrical Installations
Method of Test: Clause 9.3 - Impact Test

Description of sample: Two samples of Cable Cleats were received for testing.
Brand: Sirim
Model: SNC 103-116, SNC 91
Marking: (Hatched, 100%)

Date received: 28th April 2011

Job no./Ref. no.: 2011042279 / 2011042279-01

Issued date: 6th July 2011

Approved Signature: 
Nizam Yusoff
Sistem Teknikal Executive


 HEST BANUN HUSNAN
Group Leader
Civil and Construction Section
Testing Services Department

TREFOIL TWO HOLE PLASTIC CABLE CLEATS FOR THREE CABLE (FOR INDOOR USE)

Cable Dia.	Ref. No
29-32	DSSB-CC-TNC 32
33-36	DSSB-CC-TNC 36
37-40	DSSB-CC-TNC 40
41-44	DSSB-CC-TNC 44
45-47	DSSB-CC-TNC 47
48-50	DSSB-CC-TNC 50
51-53	DSSB-CC-TNC53
54-55	DSSB-CC-TNC55
56-60	DSSB-CC-TNC 60
61-63	DSSB-CC-TNC 63
64-67	DSSB-CC-TNC67
68-70	DSSB-CC-TNC70
71-73	DSSB-CC-TNC 73
74-77	DSSB-CC-TNC 77
78-81	DSSB-CC-TNC 81
82-85	DSSB-CC-TNC 85
86-90	DSSB-CC-TNC 90
91-93	DSSB-CC-TNC93
94-96	DSSB-CC-TNC 96
97-99	DSSB-CC-TNC 99
100-102	DSSB-CC-TNC 102
103-105	DSSB-CC-TNC 105
106-109	DSSB-CC-TNC 109
110-112	DSSB-CC-TNC 112

Other size please send / call for enquiry




 SGS
 CERTIFIED TO ISO 9001:2015
 CERT NO. 1401 9001

REPORT NO: 201302275
 PAGE: 1 OF 2

This Test Report refers only to samples submitted to the laboratory in accordance with the applicable test methods and standards. It does not constitute a warranty or guarantee of any kind. The laboratory is not responsible for the accuracy or completeness of the information provided by the client. The client is responsible for the accuracy and completeness of the information provided.

TEST REPORT
 REPORT NO: 201302275
 PAGE: 1 OF 2

Applicant: DELTA SAMA JAYA SDN BHD
 No. 202, Jalan 2/10, Taman 2/10,
 Jalan Puchong 4/8, Puchong Perdana,
 47100 Puchong, Selangor

Manufacturer: N/A

Product: Cable Cleats

Reference Standard: BS EN 50188-2007 - Specification for Cable Cleats for Electrical Installation
 Method of test: Clause 9.3 - Impact Test

Description of sample: Two samples of Cable Cleats were received for testing.
 Brand: Generic
 Model: DSSB-105-116, TNC-93
 Marking: DSSB-105-116

Date received: 29th April 2013

Job no./Ref. no.: 201302275/201302275/201302275

Issue date: 6th June 2013

Approved Signature: 
 E. J. J. J. J.
 Group Manager
 Group Manager
 Group Manager
 Group Manager

TEST REPORT NO: 201302275
 Group Manager
 Group Manager
 Group Manager
 Group Manager

Cable Cleats

TREFOIL TWO HOLE PLASTIC CABLE CLEATS (UV RESISTANT) FOR THREE CABLE (FOR OUTDOOR USE)

Cable Dia.	Ref. No
29-32	DSSB-CC-TNC 32-UV
33-36	DSSB-CC-TNC 36-UV
37-40	DSSB-CC-TNC 40-UV
41-44	DSSB-CC-TNC 44-UV
45-47	DSSB-CC-TNC 47-UV
48-50	DSSB-CC-TNC 50-UV
51-53	DSSB-CC-TNC53-UV
54-55	DSSB-CC-TNC55-UV
56-60	DSSB-CC-TNC 60-UV
61-63	DSSB-CC-TNC 63-UV
64-67	DSSB-CC-TNC67-UV
68-70	DSSB-CC-TNC70-UV
71-73	DSSB-CC-TNC 73-UV
74-77	DSSB-CC-TNC 77-UV
78-81	DSSB-CC-TNC 81-UV
82-85	DSSB-CC-TNC 85-UV
86-90	DSSB-CC-TNC 90-UV
91-93	DSSB-CC-TNC93-UV
94-96	DSSB-CC-TNC 96-UV
97-99	DSSB-CC-TNC 99-UV
100-102	DSSB-CC-TNC 102-UV
103-105	DSSB-CC-TNC 105-UV
106-109	DSSB-CC-TNC 109-UV
110-112	DSSB-CC-TNC 112-UV

Other size please send / call for enquiry



TREFOIL PLASTIC BASE (FOR INDOOR USE)

Ref. No
DSSB-CC-TB2849
DSSB-CC-TB5070
DSSB-CC-TB87102



TREFOIL PLASTIC BASE (UV RESISTANT) (FOR OUTDOOR USE)

Ref. No
DSSB-CC-TB2849-UV
DSSB-CC-TB5070-UV
DSSB-CC-TB87102-UV



GC CABLE CLEATS - SINGLE POWER CABLE

Cable Dia.	Ref. No
7/8"	SPC78
1 5/8"	SPC158



SINGLE HOLE CABLE CLEATS - A

Cable Dia.	Ref. No
10.5 - 14.5	SHCA 105
12.2 - 16.7	SHCA 122
14.6 - 19.8	SHCA 146
18.0 - 24.0	SHCA 180



SINGLE HOLE CABLE CLEATS - B

Cable Max. Bundle Dia. (mm)	Ref No.
10.1	SHCB 101
12.7	SHCB 127
17.8	SHCB 178
20.3	SHCB 203
22.8	SHCB 228
25.4	SHCB 254

